

FIG 4




FIG 5




FIG 8

11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100




FIG 9

FIG. 10 is a plan view of the device of FIG. 9, showing the device in a closed position. The device is shown in a closed position, with the lid 22 and the base 24 in contact. The device is shown in a closed position, with the lid 22 and the base 24 in contact. The device is shown in a closed position, with the lid 22 and the base 24 in contact.





FIG 10

2025 RELEASE UNDER E.O. 14176

FIG. 11



Year	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100
1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	




Fig 13




FIG. 14




FIG. 15




FIG. 14

12/16




FIG. 17

205

200

11

200

[illegible]

SECRET




FIG. 19


A schematic diagram of a mechanical assembly shown in a cross-sectional view. The assembly consists of a main housing or frame, indicated by a dashed outline. Inside the housing, there are several components:

- 121**: A component at the bottom left, possibly a support or base.
- 123**: A central vertical component, likely a shaft or piston, extending upwards.
- 300**: A large, irregularly shaped area surrounding the central component, possibly representing a fluid medium or a specific material layer.
- 310**: A horizontal component at the top right, which appears to be part of a larger mechanism or a seal.

The diagram includes various hatching patterns to represent different materials or sections. An arrow points from the label "AIR CURRENT" towards the central component 123, indicating airflow direction.

FIG. 20

FIG. 20




310

320

330

FIG. 21






FIG. 22

FIG. 23





FIG. 24



[illegible]

John

2000

yyo
Synthesis
with
translational

52

420

2019.01.15

Wid-
-heit

52

400

12

173

1947




FIGURE 26

14 ✓







FIG 30

